

STATE HEALTH REGISTRY OF IOWA

## Cancer in Adair County

Whitney Zahnd, PhD & Amanda Kahl, MPH

July 7, 2025

#### Who we are



#### Whitney Zahnd, PhD

- Assistant Professor, University of Iowa College of Public Health
- Past-president of the Iowa Rural Health Association
- Member of the Cancer Epidemiology and Population Sciences Program, Holden Comprehensive Cancer Center
- Research: rural-urban differences in cancer prevention, incidence and outcomes, access to care



#### Amanda Kahl, MPH

- Epidemiologist, Iowa Cancer Registry
- Research: rural-urban differences in treatment and quality of cancer care; cancer registry data quality

#### **99 Counties Project Team**



STATE HEALTH REGISTRY OF IOWA



www.canceriowa.org





**Holden Comprehensive Cancer Center** 



# "Statistics are people with the tears wiped away"

Dr. Irving Selikoff

#### Iowa has the **#2** highest rate of new cancers in the U.S.





2020 data not included

# Over half of Iowa's counties have a higher incidence rate than the U.S.

**56** Counties with rates **OVER** the national average

O Counties below the national average







#### **About the Project**

**Goal:** to enhance **community engagement** & **education** around cancer prevention and control across all of Iowa's 99 counties.





#### **Cancer Control Partners in Iowa**





## **Federal Funding for Cancer Control**

- The <u>Iowa Cancer Registry</u> is funded in part with Federal funds from the **National Cancer** Institute (National Institutes of Health), Department of Health and Human Services, under Contract No. HHSN261201800012I
- The <u>Cancer in Iowa: 99 Counties Project</u> is specifically funded by Federal funds from the **National Cancer Institute** through grant award: 5R01CA254628-04S2, and through National Cancer Institute funds provided to the University of Iowa Holden Comprehensive Cancer Center (P30CA086862)
- The <u>lowa Cancer Consortium</u> acknowledges the **Centers for Disease Control and Prevention** (CDC) for its funding support under cooperative agreement NU58DP007103 awarded to the lowa Department of Health and Human Services (lowa HHS).

The contents of this presentation are solely the responsibility of the authors and do not necessarily represent the official views of CDC or the National Institutes of Health/National Cancer Institute.



#### **Iowa Cancer Registry Goals**



Assemble & report data on new cancers, cancer deaths, & survival

Respond to **data requests** from organizations & individuals

#### Support studies for

cancer prevention, research & education





## **Cancer is Complicated**

There is no one cause of cancer; it is a combination of different genetic, lifestyle, and environmental risk factors that change the function of cells





## **Cancer is Complicated**

**Risk factors** are things that increase your chances of getting cancer











- Alcohol
- Unhealthy diet
- Not being physically active
- Sunburns

















#### **Cancer & the Environment**

- Many lowans understandably have questions about potential links between environmental exposures and cancer
- This is an important area of continued research, and lowans are right to ask questions and be cautious
- ICR, along with other population-based cancer registries, do not collect data on environmental risk factors, but we do share our data with researchers to support studies of cancer & environmental risk factors



#### **Risk Factors**

- There can be many years between exposure to risk factors & cancer development, which makes it difficult to prove connections.
  - For example, lung cancer may not occur until 30 years after a person starts smoking
- To reduce your risk, **avoid risk factors** whenever possible
- Today we will focus on things you can do to reduce your cancer risk. These things can be addressed at the state, community, and individual levels.





## **Incidence & Mortality**

Incidence

Number of new cases of a disease occurring during a specified time period in a population

Mortality

–Number of deaths from a disease that occur during a specified time period in a population



#### **Rates & Counts**

Counts

-The number of new cases diagnosed or deaths from cancer

Rates

-Adjusts the counts to give a **# per 100,000 people** 

Age-Adjusted Rates

-Addresses the question: *If the size and age of the populations were the same, would there be a difference in outcomes?* 



## Stage definition used today

- Early Stage includes
  - Localized: cancer is limited to the place where it started, with no sign that it has spread
- Late Stage includes
  - Regional: cancer has spread to nearby lymph nodes, tissues, or organs.
  - Distant: cancer has spread to distant parts of the body



## How to read the graphs

Unless otherwise stated, bars are your county data

Black lines on bar graphs are United States data

BelowAbout theAboveNationalsame asNationalRatesNational RatesRates

Grey boxes on bar graphs are 95% Confidence Intervals.

These are used to determine if rates are statistically different from each other





#### **New Cancers in Adair County**

All cancer types, average counts and rates, 2017-2021

Each year, there are about



Cancer incidence rates in Adair County are **not different from the U.S.** average

Ranks #99 of 99 counties

Cancer incidence rates are typically higher in men than women





## **Cancer deaths in Adair County**

All cancer types, average counts and rates, 2018-2022



Ranks #57 of 99 counties





## Top cancers in Adair County



Age-Adjusted rate per 100k, 2017-2021 Rank compared to other

counties, where #1 is highest in the state



#### #1 | Prostate cancer

Each year in Adair County, there are about...



Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2018-2022) #1



#### What can you do to prevent prostate cancer?









Quit smoking

Decrease alcohol consumption

Limit chemical exposures

Incorporate healthy foods in diet

#### **Get Screened!**



#### **Prostate Cancer Screening**

#### **Screening Guidelines**

Screening test: Prostate-specific antigen (PSA) blood test

Men who are 55-69 years old, discuss with your doctor if

#### a PSA test is right for you

(U.S. Preventative Services Task Force)



#### **#1** | Prostate cancer Stage at Diagnosis

Early stage = Easier to treat, Higher survival rates





Data from 2012-2021

#1

#### #2 | Female Breast cancer

Each year in Adair County, #1 there are about... 77.0 Adair County #2 <6 136.9 Statewide #3 New Cases per year **United States** 129.8 Adair County \*Too few cases to show rates #4 <6 Statewide 17.8 **Deaths** per year #5 **United States** 19.2

> Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2018-2022)



#### What can you do to prevent breast cancer?



Decrease alcohol consumption



Decrease excess body weight



Be physically active



Incorporate healthy foods in diet





#### **Breast Cancer Screening**

Women age 50+ who are up to date with their breast cancer screening



#### **Screening Guidelines**

Women ages 40-74 should screen with a mammogram every 2 years

Talk to your doctor if you have a family history of breast cancer

(U.S. Preventative Services Task Force)

Data from 2022 BRFSS Goal: 81.4% by 2027
# #2 | Female Breast cancer | Stage at Diagnosis

Early stage = Easier to treat, Higher survival rates





Data from 2012-2021

#1

### The Care for Yourself – Breast and Cervical Cancer Program (CFY-BCC)

We provide free breast and cervical cancer screenings across lowa.

- ► CFY-BCC is also called the Iowa Breast and Cervical Cancer Early Detection Program.
- ► CFY-BCC serves lowans between 21 and 64 years of age.
- ► Are at or earn less than 250% of the Federal Poverty Level.
- ► Call (866) 339-7909 to speak to a confidential coordinator immediately.
- CFY-BCC coordinators are available to help you Monday-Friday, 8:00 a.m. to 4:00 p.m.

https://hhs.iowa.gov/public-health/cancer/cfy

A | Health and Human Services



# **#3** | Lung cancer

Each year in Adair County, there are about...



Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2018-2022) #1



# What can you do to prevent lung cancer?



Quit smoking

#### **Quitline Iowa**

Free tobacco cessation program Call 1-800-QUIT-NOW Or visit <u>https://quitlineiowa.org/en-US</u>



Test your home for radon and mitigate if necessary

Learn more about Radon testing and mitigation: lowa Health & Human Services <u>hhs.iowa.gov/radiological-health/radon</u>

Iowa Cancer Consortium <u>canceriowa.org/radon/</u>

### **Get Screened!**



# Lung Cancer Screening



### **Screening Guidelines**

Lung cancer screening is a lowdose CT scan

If you have smoked in the last 15 years and are between the ages 50-80 years talk to your doctor about being screened for lung cancer

(U.S. Preventative Services Task Force)

# **#3** | Lung cancer | Stage at Diagnosis

Early stage = Easier to treat, Higher survival rates





Data from 2012-2021

# #4 | Colorectal cancer

Each year in Adair County, there are about...



Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2018-2022) #1



# What can you do to prevent colorectal cancer?







Incorporate healthy foods in diet





### **Colorectal Cancer Screening**

Adults ages 45-75 who are up to date with their colorectal cancer screening



STATE HEALTH REGISTRY OF ION

### **Screening Guidelines**

Adults ages 45-75 can screen with either (1) an at-home, stool-based test, or (2) a colonoscopy.

Talk to your doctor about which is best for you.

(U.S. Preventative Services Task Force)

Data from 2022 BRFSS Goal: 80% by 2027

# **#4** Colorectal cancer | Stage at Diagnosis

Early stage = Easier to treat, Higher survival rates





Data from 2012-2021

### Iowa Get Screened (IGS): Colorectal Cancer Program

We partner with Iowa's Federally Qualified Health Centers (FQHCs) and local public health agencies to increase colorectal cancer screening.

Through a collaboration with the Iowa Primary Care Association (Iowa PCA) and FQHCs, the program serves low-income Iowans, ages 45-75, to:

- Increase the number of cancers prevented
- Increase the diagnosis of early-stage colorectal cancer
- Reduce colorectal cancer incidence and mortality in the state



#### https://hhs.iowa.gov/public-health/cancer/colorectal-cancer-screening-program

A Health and Human Servi

### A vaccine that prevents cancer: HPV

Adolescents ages 13-15 who have completed their HPV vaccine series (2022)



- HPV infection can cause cancers of the cervix, mouth and throat, anus, rectum, penis, vulva, and vagina.
- Iowa has the highest rate of oropharyngeal cancer in the U.S.
- Vaccine provides safe, effective, and lasting protection against HPV, thus reducing cancer risk
- Recommended at age 11 or 12 years, when immune response is best & before HPV exposure

Data from 2022 IHHS & NIS-Teen Goal: 80% by 2027



# After the last tobacco tax was passed in 2007, smoking rates decreased in **92%** of Iowa counties





# After the last increase to the tobacco tax was passed in 2007, smoking rates decreased\* in Adair County

\* Determined by comparing data from 2004-2007 combined to 2011-2013 combined





### **Other Cancer Risk Factors**





CDC PLACES 2022 model-based county-level estimates Iowa BRFSS 2020-2023, County smoking data 2018-2021 **Resources** to help understand and address cancer in Iowa communities

### Iowa Comprehensive Cancer Control Program (CCCP)

We work with partners to prevent cancer whenever possible and support cancer survivors across lowa.

- The CCCP partners with many organizations, including the Iowa Cancer Consortium, Iowa's cancer coalition.
- CCCP is involved in the revision and implementation of the Iowa Cancer Plan.
- Currently CCCP is focused on increasing HPV vaccination, increasing lung cancer screening, and supporting cancer survivors.

https://hhs.iowa.gov/public-health/cancer https://canceriowa.org/iowa-cancer-plan/

### Iowa Cancer Consortium

**Mission**: To advance cancer prevention and control through advocacy, equity, and collaboration. **Vision**: An Iowa where cancer is not a burden.

#### A non-profit cancer coalition that provides

- Connections and partnership
- Latest news and cancer updates via email
- Training and educational opportunities
- Grant opportunities and technical assistance
- Free cancer educational materials for distribution
- Virtually-hosted workgroups
- The Iowa Cancer Plan

www.canceriowa.org

Health and Human Services

## Blueprint for cancer control, the *Iowa Cancer Plan*

Chapters with sections that include priorities, strategies, and specific action steps which may be tailored to many settings to guide cancer control activities.

- **1. Health Equity:** identify and eliminate cancer health disparities.
- **2. Prevention and Risk Reduction:** whenever possible, prevent cancer from occurring.
- **3. Early Detection and Screening:** promote the benefits of screening tests to ensure early diagnosis.
- **4. Diagnosis and Cancer-Directed Therapy:** reduce barriers to care, promote evidence-based practices, and encourage participation in clinical trials and other forms of research.
- 5. Survivorship and End-of-Life Care: ensure resources to optimize quality-of-life for cancer survivors and their families.



2023-2027



https://canceriowa.org/ iowa-cancer-plan/

# Ways to get involved



#### **Iowa Cancer Plan**

Use to identify strategies aligned with communityspecific needs

canceriowa.org/iowa-cancer-plan/

#### **American Cancer Society Cancer Action Network**



Engage American Cancer Society Cancer Action Network (ACSCAN) to promote cancer-relevant legislation

www.fightcancer.org



#### **Iowa Cancer Consortium**

Connect for state-wide collaboration and potential community-level funding

#### www.canceriowa.org

#### **Contact your legislator**

Find your legislator at <u>https://www.legis.iowa.gov/legislators/find</u>



# **Community Policy Considerations**

#### **Lung Cancer**

We know tobacco- and nicotine-free policies, reducing out-of-pocket costs for cessation treatments, and mass communications can help reduce lung cancer

#### **Breast Cancer**

We know engaging community health workers, developing clinic-specific interventions, and supporting care navigation are effective in addressing breast cancer.

#### **Prostate Cancer**

We know educating about the link between

- tobacco, alcohol, and obesity and prostate cancer;
- chemical exposures and prostate cancer;

as well as promoting shared decision-making between individuals and providers helps reduce the burden of prostate cancer.

#### **Skin Cancer**

We know providing sunscreen and UV-safety education in outdoor occupational, recreation/tourism, and childcare settings can help prevent skin cancer.

#### Include cancer in needs assessments

Include cancer-relevant strategies in your hospital's community health needs assessments or public health department's needs assessment

hhs.iowa.gov/lphs/cha-chip



# **Every community is different**

#### Your expertise is key

- Your expertise as community members and leaders and local policy makers is key to answering the question of what to do next. You know best what your community needs and what will work.
- **Cancer control partners** like the Iowa Cancer Registry, the Iowa Cancer Consortium, Iowa HHS, and your local public health department can provide ideas, advise, and help find data, evidence, and other resources, but ultimately you are the experts.
- A good place to start is by taking stock of the information presented today and where the opportunities for change might be within your county, town, or organization. Use the Iowa Cancer Plan for inspiration and reach out to the Iowa Cancer Consortium for partnership in moving forward.



# **Adair County Resources**

#### Immunizations

Adair County Public Health participates in the Vaccine for Children Program, which offers no cost immunizations to children ages 0-18 years who are uninsured, underinsured, American Indian or Alaskan Native.

Visit: https://www.achsiowa.org/ad air-county-public-healthservices for more information

#### **Health Screenings**

 Free blood pressure screenings during open office hours.

#### **Cancer Screening**

- No cost mammograms and pap-smears (to screen for breast and cervical cancer) for those who qualify based on income through the Care for Yourself Program
- Low dose CT lung cancer screenings are available at Adair County Memorial Hospital in Greenfield

# **Adair County Resources**

#### **Radon Tests**

Radon test kits can be purchased at the Guthrie Environmental Health office for \$18.00 per kit

2002 State Street Guthrie Center, IA 50115

641-747-3972

https://guthriecounty.gov/env ironmental\_health/radon\_testi ng/

#### Private Well Testing

Well Water Testing is available through Guthrie County Environmental Health

Call 641-747-3972 for more information

https://guthriecounty.gov/e nvironmental\_health/rates/

#### Zion Integrated Behavioral Health Services

School-based programs that provide positive, research-based presentations, programs, and training on alcohol, tobacco, and other drug use and abuse prevention.

https://zioniowa.org/greenfield/

### **Cancer in Iowa: 99 Counties Project Resource Guide**

- Organizations and programs we presented today
- IHHS Programs
  - Tobacco Use Prevention and Control
  - Immunization Program
  - The Hepatitis Program
  - Radon
- Iowa Rural Health Association

#### In the next slides we will highlight...

- Cancer Cluster Concerns
- Agricultural Health Study
- Environmental Exposures and Health Risks Fact Sheets
- Center for Health Effects of Environmental Contamination
- Iowa Private Well Grants Program
- Center for Energy & Environmental Education's (CEEE) Environmental Health Program



# What to do if you suspect a cancer cluster in your community

- If you are concerned about cancer excess in your area, please email us at <a href="https://www.icea.com">ICR-CancerConcerns@uiowa.edu</a>
- We will ask you about:
  - Geographic area of concern
  - Cancer types diagnosed in the area
  - Time frame
  - Exposure(s) of concern
- If possible, ICR will conduct an analysis comparing the expected number of cancers to what's been observed
- A meeting will be held to discuss the results of the analysis and a written copy of the report will be sent to you

Guidelines for Examining Unusual Patterns of Cancer and Environmental Concerns



https://www.cdc.gov/cancer-environment/media/pdfs/Guidelines-for-Examining-Unusual-Patterns-of-Cancer-and-Environmental-Concerns-h.pdf

# **Agricultural Health Study**



The Agricultural Health Study (AHS) has been working for more than 30 years to understand factors that impact the health of farmers and their families.

- Includes over 31,000 private and 5,000 commercial pesticide applicators from Iowa
  - Study is also following applicator's spouses and children
- Linked with Iowa Cancer Registry data to study risk of developing cancer among pesticide applicators

The aim of this study is to understand how agricultural, lifestyle, and genetic factors affect the health of farming populations.

### aghealth.nih.gov

Visit the Ag Health website to read their annual study updates related to pesticides and other agricultural exposures and cancer.

### **Environmental Exposures and Health Risks Fact Sheets**

These facts sheets include information on

- Cancer and non-cancer health risks for each environmental exposure
- How the exposures are regulated
- What you can do to limit your exposure

#### **Environmental Health Fact Sheets**

- <u>Arsenic</u>
- <u>Atrazine</u>
- <u>Glyphosate</u>
- <u>Nitrate</u>
- <u>Radon</u>



#### NEW Environmental Exposures & Health Risks Fact Sheets

Arsenic & Health		Introduction Nitrate, a form of nitrogen, is a water-soluble chemical fi waterways and private wells (1, 2, 3). Nitrate is coloriess drinking water. Nitrate occurs naturally in the environms corn and other corp.Fields, and manuer warve off from an		Redon is a maturally accurring gas that originates from the breakdoren of uranium and is water, and soil (3). It is oderided, coloriers, tatteless, and in-reakdoren of uranium and is radioactive, forming other reads.			
air, and soit globally and i inorganic arsenic is the er	within the United States tal. He winonmental form that poses the o smell or taste, making it imperc	shown to have n	king water (2, 3). Nitrate can be reduce egative health effects (1,5).	d concentrati scranium to i deposited ti	Terming other radioactive product on in the ground in fore results from two (2). The unanium in this rock na is rock unevenly, unanium and, as a <b>D SOURCES</b>	s called decay products over time to historical glacial activity that	enses. Radios is le. Higher radion
coloriess powers,		Exposure Sources		Exposur	Country or answer and, as a	result, name in form radon. Be	Chille the electron
		People are primarily exposed to nitrate through contain nitrate-containing foods, like processed meats (1, 4). D		Radion decay	oursame to lowe 30.1 The unnixed heads from instances all periods the owner water in the instance of the owner in the test of		
Exposure to inorganic arsenic is associated with orioning Exposure to inorganic arsenic is associated with orioning sites, and its use as a pesticide, wood preservative, and sites, and its use as a pesticide, wood preservative and sites, and its use as a pesticide to the consumption		public health concern in lows due to the amount of nit		lurigs, Marty p	an early people are expressed to		
sites, and an our is attributable to the high r		shallow wells being most at risk of high nitrate concern		managazad in p	songs. Kany people are explore products that can be inhaled (1). These radioactive products can barriage measured on york(1), elocoursing per liker of any. Radon gas can be also that any song of the angle cracks as the Koundaction or allowing around piper, many song that that however, then so the however invurse use. Radon products and any song and piper, many area spaces, share, and there Radon however, will inverse and with port weblicks are also porces of radon particles.		
while some exposure is through drinking water where regime asseric in the US is through drinking integratic argence the groundwater. Concentrations of inorganic argence drinking water (3), Wells deeper than 100 feet have the solution of t		nitrogen entering lows streams because of its stability		ADVICTOR OF STREET	ounstation or openings arrows? Had	Son gas can infiltrate tentount of	of radion in the air is
the groundwater. Con	to deeper than 100 feet have the	downstream con	tamination of drinking water.	Rectory Javasta in	and the state of the second se	<ol> <li>sump pumps, crast spacer st</li> </ol>	sold through arous?
drinking water (S), we		Health Ris	ks Associated with Nite	Hear the found	ation Induced in homes with poor see	bliation gas are also sources of	aunts, send other
al ale	Associated with Arse	the sector is th	and the second second second second	deposits, lowa	conduction or openings around pipe likeling materials, water supply, and all increase in homes with poor water above index in homes with poor and backs the reation in indexe radom can be each the reation in indexe radom of radom of the unselent discribution of radom in radius concentration (1,2,3).	higher than the basement or lo	Davent in the Norme.
Health Risks	Protect		The international Agency for Rese	determine	eachs the nation in industr of radion can be of the unseen discribution of radion of the unseen discribution of radion in radion concentration (1,2,3).	intamination (2.16 Recau	se of glacial rora
and the second se	The U.S. Environmentation to I	Cancer	and water as "probably carcinoge		of Takifuly Kun (dentration of Takifuly	Shi the ground on a sharp of the	an vary from home to
	compounds as carcinogo conducted worldwide have sho conducted worldwide have sho	Health	have shown a positive correlation	Health pi	eke t	and the second	is the only may to
Health	conducted worthware in skin, bladder, and lung. There is	Risks	and some cancers (1). Some study or above levels one-half the max				
Risks	skin, bladder, and size, liver, at kidney, nasal passages, liver, at	nisks	of time. From these studies, con		Radion causes canner in h	adon Mis (4,55 and, after smoking, is the blion (1). For example, the loas 8	
	kidney, nasal passages, provided evidence of a signific provided evidence of a signific		colorectal cancer. Cancers at oth	Cancer	cause of lung cancer in huma	ans (4,5) and, after smeaking in th	
	skickling water stands		associations have been found at	Health	Study concluded that "cumul	any (4,5) and, after smoking is the ation (3). For example, the lows R ative radion exposure in the resid stociated with long carco	e second leading
	The EPA has conducted risk as		ovary, and kidney (6).	Risks	partners is significantly a	Displated in the registere in the regist	fention Carloar
Non-Cancer	The EPA has conducted exposure to inorganic arsenic discovery of the pregnancy of		Methemoglobinemia, or Blue Ba	NISKS			
Health	diabetes, advertise, damonst	Non-Cancer	oxygen is transported in the blg		developing june come. People	e who smoke are at a line	of raction and the
Risks	effects (7). Evidence with	Health	can occur when infants are exp		shapes and sizes and him	on-smokers (1). Morecent	nes higher risk of
	as 180 per 10,000 per arsenic at the 10 micrograms	Risks	prenatal nitrate exposure in los				heir different king
	arsenic at one at		defects, including spina bifida,	Non-Cance	response and the second	terror cenacionship has been it	and the fundaments.
in the Arts	enic regulatea:		1	Health	Long cancer is the only establish exposure to elevated radon leve examination of a potential	enter at other sites.	who between
How is Arsenic regulated? • The EPA established the MCL to be 10 • The EPA established the MCL to be 10		How is Nit	rate regulated?		exposure to elevated ratio	hed adverse health effects	and the second se
<ul> <li>The EPA established the MCL to be 30 micrograms per liner to protect against the micrograms per liner to protect against the</li> </ul>		· The ERA second		Risks	exposure to elevated radion leve exposure to elevated radion leve examination of a potential assoc stroke and clonat hematiopolesis	is (2). Some studies are being	aded with
enicrograms per		<ul> <li>The EPA established the maximum contamination for nitrate to be 10 mg/L in drinking water, to</li> </ul>		How to p	stroke and clonal hematopolesis in regulated?	ation between radon exposure	inducted in
			methemoglobinemia, or Blue	is kade	in regulated?	on indecerminate potential (CHI	PLUKE
<ul> <li>Under the Safe</li> </ul>	e Drinking Water Act, the EPA c water suppliers to test for	Syndrome (7, 9	0.	<ul> <li>There are no fielde</li> </ul>			
		<ul> <li>Public water suppliers must test for nitrate a</li> </ul>		individual in intervels in intervels	ral regulations for acceptable for environments, such as	Because the entire state of knwa radios in homes and other builder	
<ul> <li>Union public water supplers to the program of the pro</li></ul>		results to consumers and the state through		<ul> <li>The Edu condens</li> </ul>	Des dir schools (%)	radion in homes and other builder Department of Health and Huma	is at high risk of
		<ul> <li>confidence reports (3).</li> <li>Private wells are not required to be tested fill</li> </ul>				Department of Health and Huma Wohnmands testing events	igs, the knea
(3,32- include and threat Administration prove							
		than 50 feet, face a disproportionate risk of		<ul> <li>mattery levels below</li> </ul>	4 pCill with a little	enovating your home (3). Radion : Mexpensive and reliable	testing in
Administration (OSIAR) regulate street occupational exposures, respectively (5).		exposure (3,10).		many cases, should			
occupations	1024 -		1	- specially for initiab	rig lung cancer (3). If to time in 4 pCUL still carry risk and, in the further reduced, ted or heavity steed areas (3), sy	the results from radion testing a post to 2 pCut, installing a radion stam can range from \$800 to 4n	e greater than o-
inutiationed Sec	planiber 2024 - Nult our website	110.0 -			Participal and an angle of the second	stam can range from \$800 to \$2 mass 2024 Questions	mitigation
Questions? 1					Protection Septer	stem can range from \$800 to \$2 steer 2024 Questions? Visit our we	500 (3)
Summer and						weed our sys	Builte ENSRC.org
			10				
						_	
			Sand				
		alle					
		ncurs					
		G					
				-			
					IC LIE A	1 T L I	
			alth sciences	PURI	IC HEA	ITH	

https://ehsrc.public-health.uiowa.edu/communityengagement/resources-information/

#### Nitrate & Health Fact sheet



#### Introduction

Nitrate, a form of nitrogen, is a water-soluble chemical found at high concentration waterways and private wells (1, 2, 3). Nitrate is colorless and has no smell, so it is ur Health drinking water. Nitrate occurs naturally in the environment; however, applying nitra corn and other crop fields, and manure run-off from animal feeding operations can **Risks** pollution in drinking water (2, 3). Nitrate can be reduced to nitrite and other compo shown to have negative health effects (1,5).

#### Exposure Sources

People are primarily exposed to nitrate through contaminated drinking water and b nitrate-containing foods, like processed meats (1, 4). Drinking water contaminated public health concern in Iowa due to the amount of nitrogen fertilizer used in agricul shallow wells being most at risk of high nitrate concentrations (3). Nitrate is the mo nitrogen entering lowa streams because of its stability and water-solubility, potenti downstream contamination of drinking water.

https://ehsrc.publichealth.uiowa.edu/communityengagement/ resources-information/

# Cancer

Non-Cancer Health Risks

The International Agency for Research on Cancer (IARC) classifies nitrate in food and water as "probably carcinogenic to humans" (1, 5). Studies conducted in Iowa have shown a positive correlation between exposure to nitrate in the drinking water and some cancers (1). Some studies conducted in Iowa have analyzed cancer risk at or above levels one-half the maximimum contaminant level (MCL) over long periods of time. From these studies, consistent associations have been discovered for colorectal cancer. Cancers at other sites have been less studied, however, positive associations have been found at levels below the MCL for cancers of the thyroid, ovary, and kidney (6).

Methemoglobinemia, or Blue Baby Syndrome, is a condition in which not enough oxygen is transported in the blood to the body's tissues (3). Blue Baby Syndrome can occur when infants are exposed to nitrate levels higher than 10 mg/L. Elevated prenatal nitrate exposure in Iowa has also been connected to increased risk of birth defects, including spina bifida, limb deficiencies, and cleft palate (7,8).

#### How is Nitrate regulated?

 The EPA established the maximum contaminant level for nitrate to be 10 mg/L in drinking water, to protect infants against methemoglobinemia, or Blue Baby Syndrome (7, 9).

**Health Risks Associated with Nitrate** 

- Public water suppliers must test for nitrate and present results to consumers and the state through consumer confidence reports (3).
- Private wells are not required to be tested for nitrate. and those with water sourced from a shallow well, less than 50 feet, face a disproportionate risk of high nitrate exposure (3,10).

#### What can you do?

- Test well water for nitrate once a year if the well is privately-owned.
- Water purification methods that remove nitrate include reverse osmosis, ion exchange, and distillation. Using Brita filters, refrigerator filters, and boiling water are not effective at removing nitrate (7).
- Maintain a healthy diet rich in antioxidants and limited in processed, cured, and red meats (1). Published September 2024 **Questions? Visit our website EHSRC.org**

### Iowa Private Well Grants Program Iowa Health & Human Services

Iowa's <u>Private Well Grants Program</u> (PWG) provides free water testing to all private well owners and users for the analytes listed. The Iowa DNR recommends that all private well owners have their water tested at least annually.

- <u>Bacteria/coliform</u> (annually)
- <u>E.coli/fecal coliform</u> (annually)
- <u>Nitrate</u> (annually)
- <u>Arsenic</u> (every 3 years)
- <u>Manganese</u> (every 3 years)
- <u>PFAS</u> (requires pre-approval from the DNR)

To get your private well tested, please contact your local county health department.

**County Health Department - contact list** 

Follow this QR code or the links below to learn more!



https://hhs.iowa.gov/public-health/environmental-health/private-well-grants https://www.iowadnr.gov/environmental-protection/water-quality/private-well-program/well-testing

### Center for Health Effects of Environmental Contamination (CHEEC)

The University of Iowa Center for Health Effects of Environmental Contamination (CHEEC) supports and conducts research to identify, measure and study adverse health outcomes related to exposure to environmental toxins. CHEEC was established through the 1987 Iowa Groundwater Protection Act and has focused its efforts to date mainly on drinking water contaminants.

#### For questions about environmental contaminants, please contact Dr. Cwiertny at the email address below.

cheec.uiowa.edu





Email: cheec@uiowa.edu

## CHEEC

### **Center for Energy & Environmental Education's (CEEE) Environmental Health Program**

#### Highlighting upstream solutions to protect children, climate, and health.

The Environmental Health Program at the CEEE highlights upstream solutions that protect children, climate, and health, as well as raises awareness about the link between harmful chemicals and their impacts to both people and climate. Our initiatives focus on community practices and state strategies that significantly reduce lowan's exposure to common hazardous pollutants.

Contact Audrey Tran Lam for more information and resources about how to reduce environmental exposures that may contribute to cancer development.

ceee.uni.edu | uni-ceee@uni.edu



#### **OF SERVICE TO IOWA**

University of Northern Iowa erav & Environmental Education

# **Other initiatives in Iowa**

#### Understanding Cancer and Environmental Risk Factors in Iowa

A New Initiative from the Iowa Environmental Council and The Harkin Institute

The Harkin Institute and the Iowa Environmental Council are announcing the launch of a new initiative that explores the relationship between environmental risk factors and cancer rates in Iowa.

The Harkin Institute

lowa

Council

Environmental



https://www.iaenvironment.org/our-work/cancer-and-environmental-risk-factors-in-iowa/

#### **Expert Panel**

UI Holden Cancer Center is bringing renowned national and international cancer experts together to investigate lowa's cancer rates



Holden Comprehensive Cancer Center

### Main Takeaways

Cancer is an important health issue facing your county There are proven ways to prevent cancer & find it early You can avoid risk factors and get screened Iowa has a strong Cancer Plan, resources, & organizations to help fight cancer Policy changes at the local and state levels can have a huge impact!

Please communicate your concerns & needs with your state representatives and local policymakers

#### This is only the first step.



### These slides will be posted

These slides will be posted to the Iowa Cancer Registry website: <u>www.iowacancerregistry.org/99</u>

If you have questions, please email us at <u>ICR-99countiesproject@uiowa.edu</u>

## Media

If you are a representative of the media and would like more information on this presentation or to speak with someone from the lowa Cancer Registry, contact <u>ICR-Media@uiowa.edu</u>.



# Thank you for attending!

If you would like to **share your thoughts** on this meeting, please participate in our brief survey. The QR code will direct you to the survey.

This brief survey should take no more than 5-10 minutes of your time.

