

STATE HEALTH REGISTRY OF IOWA

Cancer in Johnson County

Mary Charlton, PhD & Whitney Zahnd, PhD

June 30, 2025

Who we are



Mary Charlton, PhD

- Professor, University of Iowa College of Public Health
- Director, Iowa Cancer Registry
- President, Iowa Cancer
 Consortium
- Co-Leader of the Cancer Epidemiology & Population Science Program, Holden Comprehensive Cancer Center
- Research: Rural/ Urban differences in cancer prevention, screening, & quality of care



Whitney Zahnd, PhD

- Assistant Professor, University of Iowa College of Public Health
- Past-president of the Iowa Rural Health Association
- Member of the Cancer Epidemiology and Population Sciences Program, Holden Comprehensive Cancer Center
- Research: rural-urban differences in cancer prevention, incidence and outcomes, access to care

99 Counties Project Team



STATE HEALTH REGISTRY OF IOWA



www.canceriowa.org





Holden Comprehensive Cancer Center



"Statistics are people with the tears wiped away"

Dr. Irving Selikoff

Iowa has the **#2** highest rate of new cancers in the U.S.





2020 data not included

Over half of Iowa's counties have a higher incidence rate than the U.S.

56 Counties with rates **OVER** the national average

O Counties below the national average







About the Project

Goal: to enhance **community engagement** & **education** around cancer prevention and control across all of Iowa's 99 counties.





Cancer Control Partners in Iowa





Federal Funding for Cancer Control

- The <u>Iowa Cancer Registry</u> is funded in part with Federal funds from the **National Cancer** Institute (National Institutes of Health), Department of Health and Human Services, under Contract No. HHSN261201800012I
- The <u>Cancer in Iowa: 99 Counties Project</u> is specifically funded by Federal funds from the **National Cancer Institute** through grant award: 5R01CA254628-04S2, and through National Cancer Institute funds provided to the University of Iowa Holden Comprehensive Cancer Center (P30CA086862)
- The <u>lowa Cancer Consortium</u> acknowledges the **Centers for Disease Control and Prevention** (CDC) for its funding support under cooperative agreement NU58DP007103 awarded to the lowa Department of Health and Human Services (lowa HHS).

The contents of this presentation are solely the responsibility of the authors and do not necessarily represent the official views of CDC or the National Institutes of Health/National Cancer Institute.



Iowa Cancer Registry Goals



Assemble & report data on new cancers, cancer deaths, & survival

Respond to **data requests** from organizations & individuals

Support studies for

cancer prevention, research & education





Cancer is Complicated

There is no one cause of cancer; it is a combination of different genetic, lifestyle, and environmental risk factors that change the function of cells





Cancer is Complicated

Risk factors are things that increase your chances of getting cancer











- Alcohol
- Unhealthy diet
- Not being physically active
- Sunburns

















Cancer & the Environment

- Many lowans understandably have questions about potential links between environmental exposures and cancer
- This is an important area of continued research, and lowans are right to ask questions and be cautious
- ICR, along with other population-based cancer registries, do not collect data on environmental risk factors, but we do share our data with researchers to support studies of cancer & environmental risk factors



Risk Factors

- There can be many years between exposure to risk factors & cancer development, which makes it difficult to prove connections.
 - For example, lung cancer may not occur until 30 years after a person starts smoking
- To reduce your risk, **avoid risk factors** whenever possible
- Today we will focus on things you can do to reduce your cancer risk. These things can be addressed at the state, community, and individual levels.





Incidence & Mortality

Incidence

Number of new cases of a disease occurring during a specified time period in a population

Mortality

–Number of deaths from a disease that occur during a specified time period in a population



Rates & Counts

Counts

-The number of new cases diagnosed or deaths from cancer

Rates

-Adjusts the counts to give a **# per 100,000 people**

Age-Adjusted Rates

-Addresses the question: *If the size and age of the populations were the same, would there be a difference in outcomes?*



Stage definition used today

- Early Stage includes
 - Localized: Cancer is limited to the place where it started, with no sign that it has spread
- Late Stage includes
 - Regional: Cancer has spread to nearby lymph nodes, tissues, or organs.
 - Distant: Cancer has spread to distant parts of the body



How to read the graphs

Unless otherwise stated, bars are your county data

Black lines on bar graphs are United States data

BelowAbout theAboveNationalsame asNationalRatesNational RatesRates

Grey boxes on bar graphs are 95% Confidence Intervals.

These are used to determine if rates are statistically different from each other





Compared to other lowa metro counties **Johnson** ranks **#17** of 21 for new cancers



Harrison	546.2						
Madison	528.9						
Woodbury	519.5						
Black Hawk	516.6						
Benton	513.6						
Plymouth	509.3						
Scott	507.2						
Linn	505.9						
Grundy	501.3						
Mills	493.8						
Jones	491.5						
Polk	490.6						
Bremer	487.8						
Pottawattamie	485.6						
Washington	480.5						
Dubuque	475.6						
Johnson	475.4						
Warren	467.8						
Guthrie	460.0						
Story	453.1						
Dallas	443.4						
	0	100	200	300	400	500	600

Age-Adjusted Incidence per 100,000 (2017-2021

New Cancers in Johnson County

All cancer types, average counts and rates, 2017-2021

Each year, there are about



Cancer incidence rates in Johnson County are **higher than the U.S.** average

Ranks #69 of 99 counties

Cancer incidence rates are typically higher in men than women





New Cancers in Johnson County by Race

Age-Adjusted Incidence per 100,000 (2017-2021)

STATE HEALTH REGISTRY 2 IOWA



New Cancers in Johnson County by Race and Sex

Age-Adjusted Incidence per 100,000 (2017-2021)





Cancer deaths in Johnson County

All cancer types, average counts and rates, 2018-2022



Ranks #97 of 99 counties

Cancer mortality rates are typically higher in men than women





Cancer Deaths in Johnson County by Race

Age-Adjusted Mortality per 100,000 (2008-2022)

STATE HEALTH REGISTRY 12 IOWA



Cancer Deaths in Johnson County by Race and Sex

Age-Adjusted Mortality per 100,000 (2008-2022)



CANCER ICR REGISTRY Too few cases to show rates for Hispanic population

Female Breast #19 150.2 #1 of 98 counties cancer #42 130.7 **Prostate cancer** #2 of 99 counties **Top cancers in** #95 Johnson Lung cancer #3 41.9 of 99 counties County #23 35.9 #4 Melanoma of 80 counties Colorectal #84 35.5 #5 of 96 counties cancer

Age-Adjusted rate per 100k, 2017-2021 Rank compared to other

counties, where #1 is highest in the state



Incidence of Top Cancers in Johnson County by Race

Age-Adjusted Incidence per 100,000 (2017-2021)





#1 | Female Breast cancer

Each year in Johnson County, #1 there are about... 150.2 Johnson County #2 106 136.9 Statewide #3 New Cases per year **United States** 129.8 15.0 Johnson County #4 12 17.8 Statewide **Deaths** per year #5 **United States** 19.2

> Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2018-2022)


Incidence of Breast Cancer by Race in Johnson County



CANCER ICR

STATE HEALTH REGISTRY 22 IOW

REGISTRY

Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2008-2022)

What can you do to prevent breast cancer?





Breast Cancer Screening

Women age 50+ who are up to date with their breast cancer screening



STATE HEALTH REGISTRY OF IOW

Screening Guidelines

People with breasts ages 40-74 should screen with a mammogram every 2 years

Talk to your doctor if you have a family history of breast cancer

(U.S. Preventative Services Task Force)

Data from 2022 BRFSS Goal: 81.4% by 2027

The Care for Yourself – Breast and Cervical Cancer Program (CFY-BCC)

We provide free breast and cervical cancer screenings across lowa.

- ► CFY-BCC is also called the Iowa Breast and Cervical Cancer Early Detection Program.
- ► CFY-BCC serves lowans between 21 and 64 years of age.
- ► Are at or earn less than 250% of the Federal Poverty Level.
- ► Call (866) 339-7909 to speak to a confidential coordinator immediately.
- CFY-BCC coordinators are available to help you Monday-Friday, 8:00 a.m. to 4:00 p.m.

https://hhs.iowa.gov/public-health/cancer/cfy

A Health and Human Services



Female Breast | Stage at Diagnosis by Race

Early stage = Easier to treat, Higher survival rates





Data from 2012-2021

#1 | Female Breast cancer | 5-Year Survival





Data from 2011-2020

#2 | Prostate cancer

Each year in Johnson County, there are about...



Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2018-2022) #1



Incidence of Prostate Cancer by Race in Johnson County





What can you do to prevent prostate cancer?





Prostate Cancer Screening Guidelines

Screening test is a Prostate-specific antigen (PSA) blood test

U.S. Preventative Services Task Force Guidelines

If you have a prostate and are 55-69 years old, discuss with your doctor if a PSA test is right for you

https://www.uspreventiveservicestaskforce.org/uspstf/re commendation/prostate-cancer-screening

American Cancer Society Guidelines

The <u>American Cancer Society</u> recommends that men have a chance to make an informed decision with their health care provider about whether to be screened for prostate cancer.

The discussion about screening should take place at:

- Age 50 for men who are at average risk of prostate cancer and are expected to live at least 10 more years
- Age 45 for men at high risk of developing prostate cancer. This includes <u>African American men</u> and men who have a first-degree relative (father or brother) diagnosed with prostate cancer at an early age (younger than age 65).
- Age 40 for men at even higher risk (those with more than one first-degree relative who had prostate cancer at an early age)



Prostate | Stage at Diagnosis by Race

Early stage = Easier to treat, Higher survival rates





Data from 2012-2021

#2 | Prostate cancer | 5-Year Survival





Data from 2011-2020

#3 | Lung cancer

Each year in Johnson County, there are about...



Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2018-2022) #1



What can you do to prevent lung cancer?





for Radon







Smoking



What is Radon?

- Radon is an invisible, tasteless, odorless, radioactive gas
- It is naturally produced by radium and uranium in the soil
- Radon becomes harmful when it becomes trapped and concentrated in the air
 - For example, when it leaks into a basement through a crack in the foundation or a space around a pipe

Learn more about Radon testing and mitigation:

Iowa Health & Human Services <u>hhs.iowa.gov/radiological-</u> <u>health/radon</u>

> Iowa Cancer Consortium <u>canceriowa.org/radon/</u>



Lung Cancer Screening



Screening Guidelines

Lung cancer screening is a lowdose CT scan

If you have smoked in the last 15 years and are between the ages 50-80 years talk to your doctor about being screened for lung cancer

(U.S. Preventative Services Task Force)

#3 | Lung cancer | Stage at Diagnosis

Early stage = Easier to treat, Higher survival rates





Data from 2012-2021

#3 | Lung cancer | 5-Year Survival

#1 5-Year Relative Survival Rates, by Stage #2 **Finding cancer** Early 59% (n=85) Stage early leads to (#3 higher survival 23% Late #4 rates Stage (n=332)#5 0% 25% 50% 75% 100%



Data from 2011-2020

#4 | Melanoma

Each year in Johnson County, there are about...



Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2018-2022) #1



What can you do to prevent melanoma?









Sit in the shade when possible



Avoid being in the sun from 10am – 2pm

Do not use indoor tanning beds



Melanoma Self-Exams

Perform regular **self-examinations** using a mirror. Look for new spots or changes in existing spots.

If you are concerned about a spot, talk to your doctor or a dermatologist Most moles and brown spots are harmless, but following the **ABCDE's** can help you detect melanoma early.



CANCER ICR REGISTRY Check out the Iowa Cancer Registry Melanoma Spotlight

#4 Melanoma | Stage at Diagnosis

Early stage = Easier to treat, Higher survival rates





Data from 2012-2021

#4 | Melanoma | 5-Year Survival





Data from 2011-2020

#5 | Colorectal cancer

Each year in Johnson County, there are about...



Age-Adjusted Rate per 100,000 Incidence (2017-2021); Mortality (2018-2022) #1



What can you do to prevent colorectal cancer?



REGISTRY

STATE HEALTH REGISTRY OF IOW

Colorectal Cancer Screening

Adults ages 45-75 who are up to date with their colorectal cancer screening



STATE HEALTH REGISTRY OF ION

Screening Guidelines

Adults ages 45-75 can screen with either (1) an at-home, stool-based test, or (2) a colonoscopy.

Talk to your doctor about which is best for you.

(U.S. Preventative Services Task Force)

Data from 2022 BRFSS Goal: 80% by 2027

Iowa Get Screened (IGS): Colorectal Cancer Program

We partner with Iowa's Federally Qualified Health Centers (FQHCs) and local public health agencies to increase colorectal cancer screening.

Through a collaboration with the Iowa Primary Care Association (Iowa PCA) and FQHCs, the program serves low-income Iowans, ages 45-75, to:

- Increase the number of cancers prevented
- Increase the diagnosis of early-stage colorectal cancer
- Reduce colorectal cancer incidence and mortality in the state



https://hhs.iowa.gov/public-health/cancer/colorectal-cancer-screening-program

A Health and Human Serv

#5 | Colorectal cancer | Stage at Diagnosis

Early stage = Easier to treat, Higher survival rates





Data from 2012-2021

#5 | Colorectal cancer | 5-Year Survival





Data from 2011-2020

A vaccine that prevents cancer: HPV

Adolescents ages 13-15 who have completed their HPV vaccine series (2022)



ICR

CANCER

STATE HEALTH REGISTRY OF 104

- HPV infection can cause cancers of the cervix, mouth and throat, anus, rectum, penis, vulva, and vagina.
- Iowa has the highest rate of oropharyngeal cancer in the U.S.
- Vaccine provides safe, effective, and lasting protection against HPV, thus reducing cancer risk
- Recommended at age 11 or 12 years, when immune response is best & before HPV exposure

Data from 2022 IHHS & NIS-Teen Goal: 80% by 2027

After the last tobacco tax was passed in 2007, smoking rates decreased in **92%** of Iowa counties





After the last increase to the tobacco tax was passed in 2007, smoking rates decreased* in Johnson County

* Determined by comparing data from 2004-2007 combined to 2011-2013 combined

REGISTRY

STATE HEALTH REGISTRY OF ION



Other Cancer Risk Factors





CDC PLACES 2022 model-based county-level estimates Iowa BRFSS 2020-2023 smoking county data **Resources** to help understand and address cancer in Iowa communities

Iowa Comprehensive Cancer Control Program (CCCP)

We work with partners to prevent cancer whenever possible and support cancer survivors across lowa.

- The CCCP partners with many organizations, including the Iowa Cancer Consortium, Iowa's cancer coalition.
- CCCP is involved in the revision and implementation of the Iowa Cancer Plan.
- Currently CCCP is focused on increasing HPV vaccination, increasing lung cancer screening, and supporting cancer survivors.



Photo from the Iowa Cancer Consortium, taken at the Iowa Cancer Summit

https://hhs.iowa.gov/public-health/cancer https://canceriowa.org/iowa-cancer-plan/

Health and Human Services

Iowa Cancer Consortium

A non-profit cancer coalition that provides

- Connections and partnership
- Latest news and cancer updates via email
- Training and educational opportunities
- Grant opportunities and technical assistance
- Free cancer educational materials for distribution
- The Iowa Cancer Plan

Virtually-hosted workgroups include:

- Cancer Screening & Early Detection
- Health Equity
- HPV (w/ Iowa Immunizes coalition)
- Policy
- Radon
- Research & Clinical Trials
- Rural Cancer
- Quality of Life
- Cancer & the Environment Task Force

www.canceriowa.org



Mission: To advance cancer prevention and control through advocacy, equity, and collaboration. **Vision**: An Iowa where cancer is not a burden.


Blueprint for cancer control, the *Iowa Cancer Plan*

Chapters with sections that include priorities, strategies, and specific action steps which may be tailored to many settings to guide cancer control activities.

- **1. Health Equity:** identify and eliminate cancer health disparities.
- **2. Prevention and Risk Reduction:** whenever possible, prevent cancer from occurring.
- **3. Early Detection and Screening:** promote the benefits of screening tests to ensure early diagnosis.
- **4. Diagnosis and Cancer-Directed Therapy:** reduce barriers to care, promote evidence-based practices, and encourage participation in clinical trials and other forms of research.
- 5. Survivorship and End-of-Life Care: ensure resources to optimize quality-of-life for cancer survivors and their families.



2023-2027



https://canceriowa.org/ iowa-cancer-plan/

This is only the first step.

Recommended Actions



Iowa Cancer Plan

Use to identify strategies aligned with communityspecific needs

canceriowa.org/iowa-cancer-plan/

American Cancer Society Cancer Action Network



Engage American Cancer Society Cancer Action Network (ACSCAN) to promote cancer-relevant legislation

www.fightcancer.org



Iowa Cancer Consortium

Connect for state-wide collaboration and potential community-level funding

www.canceriowa.org

Include cancer in needs assessments

Include cancer-relevant strategies in your hospital's community health needs assessments or public health department's needs assessment

hhs.iowa.gov/lphs/cha-chip





What can you do next?

Reduce Lung Cancer

We know tobacco- and nicotine-free policies, reducing out-of-pocket costs for cessation treatments, and mass communications can help reduce lung cancer

Breast Cancer

We know engaging community health workers, developing clinic-specific interventions, and supporting care navigation are effective in addressing breast cancer.

Prevent Skin Cancer

We know providing sunscreen and UV-safety education in outdoor occupational, recreation/tourism, and childcare settings can help prevent skin cancer.

Prostate Cancer

We know educating about the link between

- tobacco, alcohol, and obesity and prostate cancer;
- chemical exposures and prostate cancer; as well as promoting shared decision-making between individuals and providers helps reduce the burden of prostate cancer.



Every community is different

Your expertise is key

- Your expertise as community members and leaders and local policy makers is key to answering the question of what to do next. You know best what your community needs and what will work.
- **Cancer control partners** like the Iowa Cancer Registry, the Iowa Cancer Consortium, Iowa HHS, and your local public health department can provide ideas, advise, and help find data, evidence, and other resources, but ultimately you are the experts.
- A good place to start is by taking stock of the information presented today and where the opportunities for change might be within your county, town, or organization. Use the Iowa Cancer Plan for inspiration and reach out to the Iowa Cancer Consortium for partnership in moving forward.



Johnson County Resources

Radon Test Kits

- Radon test kits can be purchased at Johnson County Public Health. Visit the front desk or call 319-356-6040.
- Short-Term kits are \$12 in office or mailed for \$15.
- Long-Term test kits are \$30 in office or mailed for \$33.

Visit <u>https://johnsoncountyiowa.gov/public-health/radon</u> for more information

Vaccines for Children Program

(VFC) program offers low or no cost vaccines to VFC-eligible children, and the HPV vaccine series is one of our offerings.

For more information visit https://johnsoncountyiowa.gov/departmentof-public-health

Johnson County Resources

Private Well Grant

The Private Well Grants (PWG) program is state funded through the Iowa HHS and provides funds to promote the protection of the groundwater supply. This is accomplished by financially assisting homeowners in the testing, rehabilitation and proper plugging of private water supply wells.

JCPH provides PWG to assist homeowners with costs, but this is pending funds available based on a July-June fiscal year.

rant JCPH pro

JCPH provides free well water analysis to rural county residents. JCPH encourages homeowners to have annual tests of their private water wells.

• Bacteria Coliform

Well Water Tests

- E.coli bacteria
- Arsenic and Manganese (every three years)
 - Arsenic Speciation test available on request if total arsenic level exceeds maximum contaminate level
- PFAS test may be provided dependent on well location. Contact JCPH for more information.

To request free well water analysis, contact JCPH at 319-356-6040

https://www.johnsoncountyiowa.gov/public-health/well-testing

Johnson County Initiatives

lowa City restricts sales near schools and other tobacco shops

Last year, the Iowa City Council, with guidance and direction from JCPH Health Educator Susan Vileta, passed a zoning code restriction on tobacco shops operating within 500 ft of a school, university, or other tobacco retailer.

https://www.press-citizen.com/story/news/local/2024/12/13/whatto-know-about-iowa-citys-new-tobacco-restrictions/76434592007/

Johnson County Board of Health Position Statement On Electronic Cigarettes

In 2023, Johnson County Board of Health released a position statement on Ecigarettes.

"Johnson County Board of Health (JCBOH) supports the inclusion of a prohibition on the use of electronic cigarettes/vaping devices in state and local smoke-free air regulations and/or enacting tobacco/nicotine free policies in order to maintain current standards for clean indoor air, prevent involuntary exposure to nicotine and other aerosolized emissions from e-cigarettes, and reduce the potential for renormalization of tobacco product use."

https://johnsoncountyiowa.gov/sites/default/files/2023-04/Electronic%20Cigarettes%20March%202023.pdf

Cancer in Iowa: 99 Counties Project Resource Guide

- Organizations and programs we presented today
- IHHS Programs
 - Tobacco Use Prevention and Control
 - Immunization Program
 - The Hepatitis Program
 - Radon
- Iowa Rural Health Association

In the next slides we will highlight...

- Cancer Cluster Concerns
- Agricultural Health Study
- Environmental Exposures and Health Risks Fact Sheets
- Center for Health Effects of Environmental Contamination
- Iowa Private Well Grants Program
- Center for Energy & Environmental Education's (CEEE) Environmental Health Program



What to do if you suspect a cancer cluster in your community

- If you are concerned about cancer excess in your area, please email us at ICR-CancerConcerns@uiowa.edu
- We will ask you about:
 - Geographic area of concern
 - Cancer types diagnosed in the area
 - Time frame
 - Exposure(s) of concern
- If possible, ICR will conduct an analysis comparing the expected number of cancers to what's been observed
- A meeting will be held to discuss the results of the analysis and a written copy of the report will be sent to you

Guidelines for Examining Unusual Patterns of Cancer and Environmental Concerns



https://www.cdc.gov/cancer-environment/media/pdfs/Guidelines-for-Examining-Unusual-Patterns-of-Cancer-and-Environmental-Concerns-h.pdf

Agricultural Health Study



The Agricultural Health Study (AHS) has been working for more than 30 years to understand factors that impact the health of farmers and their families.

- Includes over 31,000 private and 5,000 commercial pesticide applicators from Iowa
 - Study is also following applicator's spouses and children
- Linked with Iowa Cancer Registry data to study risk of developing cancer among pesticide applicators

The aim of this study is to understand how agricultural, lifestyle, and genetic factors affect the health of farming populations.

aghealth.nih.gov

Visit the Ag Health website to read their annual study updates related to pesticides and other agricultural exposures and cancer.

Environmental Exposures and Health Risks Fact Sheets

These facts sheets include information on

- Cancer and non-cancer health risks for each environmental exposure
- How the exposures are regulated
- What you can do to limit your exposure

Environmental Health Fact Sheets

- <u>Arsenic</u>
- <u>Atrazine</u>
- Glyphoste
- <u>Nitrate</u>
- <u>Radon</u>



NEW Environmental Exposures & Health Risks Fact Sheets

air, and son granic is the ef- coloriess powder, with no Exposure Source Exposure to inorganic at sites, and its use as a pr	metationid found naturally in Ear within the United States (1). While vicinonmental form that poses the similion taste, making it imperc es	pollution in drin	king water (2, 3). Nitrate can be reduce	ni redioactive	Foreign Contraction of the			
Exposure to inorganic at sites, and its use as a pe	es	corn and other crop fields, and manure num-off from an pollution in drinking water (2, 3). Nitrate can be reduced shown to have negative health effects (2,5). Exposure Sources		deposited d	All of the second secon			
Exposure to inorganic an sites, and its use as a pe	Sources		People are primarily exposed to nitrate through contain		Exposure Carefully or another and, as a result random because the concession			
sites, and an over it.			aroy exposed to nitrate through containing foods, like processed meats (1, 4). D	Radon decay	into reference	The second second	d vary from site to si	
sites, and manufacture it	sticide, wood preservative,	public health co	incern in lowa due to the amount of nit	and the second of the	eople are exclosed to only that of	An bie inhapped my means		
Expense to intrigues, an experision, wood preservative, and strets, and to use as a postscied, wood preservative, and while some exposure is attributionable to the consumption ansatic in the US is through chicking water where high or the groundwater. Cancentrations of inorganic anterior the groundwater. St. Webs desper than 100 feet have the term of the second seco		shallow wells being most at risk of high nitrate concer- nitrogen entering lows streams because of its stability		Cracks in the s	••••••••••••••••••••••••••••••••••••			
arsenic in the US is thro	contrations of inorganic arsenic s	nitrogen enterin	g lows streams because of its stability itamination of drinking water.	structure (25. s	constation or openings around risk	adion gas can infiltrate homes from	of radion in the air is	
the groundwater. Conc.	entrations of inorganic arsenies, deeper than 300 feet have the	downstream con	itamination of drinking water.	Rectory Javasto w	al increases in a supply a	nd samp pumps, crawl spaces, do	sold through aroust	
drinking water (3). eeu		Health Ris	ks Associated with Nite	refore they fickand	abion. Indiana inclusion with poor se	estiliation and in the also sources of	Cardinan in Annu h	
nin pieks	Associated with Arse			home home	leads the nation in lost	in the and in the basement of industrial and in the basement of is higher than outdoors (). Recau ortanisation (2), Redon beiding of the ground (2), Redon beiding)	Davest laved of shorts	
Health Risks	The U.S. Environmental Protect		The International Agency for Reso	Getermine inde	of the uneven distribution of col	ontamination (2.3) Review	se of glacial rock	
	the U.S. Environmentogenic to f compounds as carcinogenic to f	Cancer	and water as "probably carcinoge				an vary from home t	
Cancer	compounds as carcinogen conducted worldwide have sho	Health	have shown a positive correlation and some cancers (1). Some stude	Health Ri	sks Associated with		is the only may to	
	conducted workbasse skin, bladder, and lung. There it skin, bladder, and lung. There it	Risks	or above levels one-half the max					
Risks	kidney, nasal passing of a signific		of time. From these studies, con		Radon causes cancer in hum	nany (4,52 and, after smoking, is the nation (3). For example, the loas R		
	provided evidence of drinking water standard of 10 r		colorectal cancer. Cancers at oth	Cancer	Cause of lung cancer in the	nany (4,52 and, after smoking, is the nation (3). For example, the lows R Active radio: exposure in the resid		
	drivking water star-		associations have been found at	Health	analogy concluded that "cum	IN 29 and, after smoking, is the nation (3). For example, the lows R Viative radion exposure in the resid associated with lung range.	e second leading	
	The EPA has conducted risk as		ovary, and kidney (6).	Risks	dething in	economic exposure in the result	feature Lang Caricar	
Non-Concer	The EPA has conduction exposure to inorganic arsenic exposure to inorganic arsenic		Methemoglobinemia, or Blue Ba	1083				
Health	diabettes, adverse pregnancy a	Non-Cancer	oxygen is transported in the blg		developing juna mome. Peop	Ne who smoke are stabled level o	of raction and sho	
Risks	effects (7). Evidence with	Health	can occur when infants are exp		shapes and sizes and kines	who emoke are at a 10 to 20 tes non-smokers (1). Moreover, with th weathing rates, children are expos- tornisted	nes higher risk of	
	as 180 per 10,000 page anenic at the 10 micrograms	Risks	prenatal nitrate exposure in los				heir different kins	
	arsenic at the solution		defects, including spina bifida,	Non 0	PROPERTY AND	in the construction of the party of	on our tolkings.	
to And	enic regulated?			Non-Cance	1 John	owney as other sites	NUMBER OF CONTRACT	
How is Arst	and an he 10	How is Nit	rate regulated?	Health	the only established	allowed and		
and an and a stability	shed the wron or she		-	Risks	examination of a potential	vels (2). Some studies are being con voision between radon exposure a (s of indeterminate potential man	alled with	
 The EPA established the MCL to be as incrograms per little to protect against the cancer and non-cancer health effects listed 			lished the maximum contamina	The state of the s		viciation between radon exposure a si of indeterminate potential ICHIE Whot	inducted in	
cancer and non	Carolin Human		be 10 mg/L in drinking water, to	How is Rade	Ph Filter and a state of the st	is of indeterminate potential	and risk of	
		infants against methemoglobinemia, or Blue		· There are no deal		What can	門捕乱	
		Syndrome (7, 9). Public water suppliers must test for nitrate a		Variate Law of the second		What can you do?	and the second product of the second second	
		 Public water supports must be that for intrate a results to consumers and the state through 		individual residen • The EPA has duide	ral regulations for Acceptable loor environments, such as ces or schevels its	ration the entire state of inner	Statute	
		confidence reports (3).			Share from some case.	vadori in homes and other builds Oepartment of Health and Huma recommends testing every term	the interview of	
 The Food and 	Drug Holiety and Health	and those with water sourced from a shallo		the risk of develop Radion levels below	ing lung cancer (2)	recommends testing every two ye removating your home (3). Radon i inexpensive and reliable.	ears or after	
 The Food and Dring Adversarial work of the Adversaria and the Adversaria and		than 50 feet, face a disproportionate risk of exposure (3.30).				Hexpensive and reliable	tenting is	
Administration	Lexingtunes, respectively the	exposure (3,10	* 1	especially for interest				
occupations	plantiber 2024 -		1		be further reduced, ited or heavity used areas (1),	renovating your home (2). Radion 1 interpensive and reliable. If the results from radion testing a equal to 2 pCsR, lestabling a radion lystem can range from \$200 to 4	re greater than or	
Published SH	hait our websile	110.0			Published Server	tystem can range from \$800 to \$2 million 2024 Genetions? Viell our we	Transaction:	
ENERG APP					and the second sec	collid Questions? Well and	101 March 101	
							ensec.org	

https://ehsrc.public-health.uiowa.edu/communityengagement/resources-information/

Center for Health Effects of Environmental Contamination (CHEEC)

The University of Iowa Center for Health Effects of Environmental Contamination (CHEEC) supports and conducts research to identify, measure and study adverse health outcomes related to exposure to environmental toxins. CHEEC was established through the 1987 Iowa Groundwater Protection Act and has focused its efforts to date mainly on drinking water contaminants.

For questions about environmental contaminants, please contact Dr. Cwiertny at the email address below.



David Cwiertny Director of CHEEC



cheec.uiowa.edu Email: cheec@uiowa.edu

CHEEC

Iowa Private Well Grants Program Iowa Health & Human Services

Iowa's <u>Private Well Grants Program</u> (PWG) provides free water testing to all private well owners and users for the analytes listed. The Iowa DNR recommends that all private well owners have their water tested at least annually.

- <u>Bacteria/coliform</u> (annually)
- <u>E.coli/fecal coliform</u> (annually)
- <u>Nitrate</u> (annually)
- <u>Arsenic</u> (every 3 years)
- <u>Manganese</u> (every 3 years)
- <u>PFAS</u> (requires pre-approval from the DNR)

To get your private well tested, please contact your local county health department.

County Health Department - contact list

Follow this QR code or the links below to learn more!



https://hhs.iowa.gov/public-health/environmental-health/private-well-grants https://www.iowadnr.gov/environmental-protection/water-quality/private-well-program/well-testing

Nitrate & Health Fact sheet



Introduction

Nitrate, a form of nitrogen, is a water-soluble chemical found at high concentration waterways and private wells (1, 2, 3). Nitrate is colorless and has no smell, so it is ur Health drinking water. Nitrate occurs naturally in the environment; however, applying nitra corn and other crop fields, and manure run-off from animal feeding operations can **Risks** pollution in drinking water (2, 3). Nitrate can be reduced to nitrite and other compo shown to have negative health effects (1,5).

Exposure Sources

People are primarily exposed to nitrate through contaminated drinking water and b nitrate-containing foods, like processed meats (1, 4). Drinking water contaminated public health concern in Iowa due to the amount of nitrogen fertilizer used in agricul shallow wells being most at risk of high nitrate concentrations (3). Nitrate is the mo nitrogen entering lowa streams because of its stability and water-solubility, potenti downstream contamination of drinking water.

https://ehsrc.publichealth.uiowa.edu/communityengagement/ resources-information/

Cancer

Non-Cancer Health Risks

The International Agency for Research on Cancer (IARC) classifies nitrate in food and water as "probably carcinogenic to humans" (1, 5). Studies conducted in Iowa have shown a positive correlation between exposure to nitrate in the drinking water and some cancers (1). Some studies conducted in Iowa have analyzed cancer risk at or above levels one-half the maximimum contaminant level (MCL) over long periods of time. From these studies, consistent associations have been discovered for colorectal cancer. Cancers at other sites have been less studied, however, positive

ovary, and kidney (6). Methemoglobinemia, or Blue Baby Syndrome, is a condition in which not enough oxygen is transported in the blood to the body's tissues (3). Blue Baby Syndrome can occur when infants are exposed to nitrate levels higher than 10 mg/L. Elevated prenatal nitrate exposure in Iowa has also been connected to increased risk of birth defects, including spina bifida, limb deficiencies, and cleft palate (7,8).

associations have been found at levels below the MCL for cancers of the thyroid,

How is Nitrate regulated?

 The EPA established the maximum contaminant level for nitrate to be 10 mg/L in drinking water, to protect infants against methemoglobinemia, or Blue Baby Syndrome (7, 9).

Health Risks Associated with Nitrate

- Public water suppliers must test for nitrate and present results to consumers and the state through consumer confidence reports (3).
- Private wells are not required to be tested for nitrate. and those with water sourced from a shallow well, less than 50 feet, face a disproportionate risk of high nitrate exposure (3,10).

What can you do?

- Test well water for nitrate once a year if the well is privately-owned.
- Water purification methods that remove nitrate include reverse osmosis, ion exchange, and distillation. Using Brita filters, refrigerator filters, and boiling water are not effective at removing nitrate (7).
- Maintain a healthy diet rich in antioxidants and limited in processed, cured, and red meats (1). Published September 2024 **Questions? Visit our website EHSRC.org**

Center for Energy & Environmental Education's (CEEE) Environmental Health Program

Highlighting upstream solutions to protect children, climate, and health.

The Environmental Health Program at the CEEE highlights upstream solutions that protect children, climate, and health, as well as raises awareness about the link between harmful chemicals and their impacts to both people and climate. Our initiatives focus on community practices and state strategies that significantly reduce lowan's exposure to common hazardous pollutants.

Contact Audrey Tran Lam for more information and resources about how to reduce environmental exposures that may contribute to cancer development.

ceee.uni.edu | uni-ceee@uni.edu



OF SERVICE TO IOWA

University of Northern Iowa erav & Environmental Education

CEEE Environmental Health Program Initiatives

Good Neighbor Iowa

Aims to reduce unnecessary urban pesticide use and to transform lawn culture to encourage appreciation of diverse lawns as a way to protect child health, water quality, pets, pollinators, and biodiversity.

Good Neighbor Iowa is a statewide public health initiative that works with school districts, childcare centers, city parks, and homeowners to reduce harmful exposures in the community.

<u>Climate, Toxics, and Health</u>

An actionable, educational initiative dedicated to empowering individuals with knowledge about the intersection of toxic chemicals, fossil fuels, and human health.

Includes easy-to-use resources that outline specific actions that individuals can take to reduce environmental exposures (and carbon footprint!).

Farming for Public Health

A statewide initiative to build more understanding among healthcare providers and public health professionals about agricultural strategies that solve for a pattern of soil health, clean water, biodiversity, conservation, healthy food, rural economic vitality - collectively, public health.

<u>ceee.uni.edu</u> | <u>uni-ceee@uni.edu</u>



University of Northern Iowa. Center for Energy & Environmental Education

30

YEARS

OF SERVICE TO IOWA

Other initiatives in Iowa

Understanding Cancer and Environmental Risk Factors in Iowa

A New Initiative from the Iowa Environmental Council and The Harkin Institute

The Harkin Institute and the Iowa Environmental Council are announcing the launch of a new initiative that explores the relationship between environmental risk factors and cancer rates in Iowa.

The Harkin Institute

lowa

Council

Environmental



https://www.iaenvironment.org/our-work/cancer-and-environmental-risk-factors-in-iowa/

Expert Panel

UI Holden Cancer Center is bringing renowned national and international cancer experts together to investigate lowa's cancer rates



Holden Comprehensive Cancer Center

Main Takeaways

Cancer is an important health issue facing your county There are proven ways to prevent cancer & find it early You can avoid risk factors and get screened Iowa has a strong Cancer Plan, resources, & organizations to help fight cancer Policy changes at the local and state levels can have a huge impact!

Please communicate your concerns & needs with your state representatives and local policymakers

And let us know how we can help!



These slides will be posted

These slides will be posted to the Iowa Cancer Registry website: <u>www.iowacancerregistry.org/99</u>



If you have questions, please email us at ICR-99countiesproject@uiowa.edu

Media

If you are a representative of the media and would like more information on this presentation or to speak with someone from the lowa Cancer Registry, contact <u>ICR-Media@uiowa.edu</u>.



Thank you for attending!

If you would like to **share your thoughts** on this meeting, please participate in our brief survey. The QR code will direct you to the survey.

This brief survey should take no more than 5-10 minutes of your time.

